



AOCTO/IC/50

OCTO Indoor Controller 50W



Features

Push-fit loop-in, loop-out terminals for ease and speed of installation

Screw-less design

Intuitive fast operation from a smart lighting App

Future proofed free software and firmware updates

Can be used to control a group, sub groups or individual luminaires

Settings easily commissioned by a smart device

Bluetooth wireless mesh ensures reliable and fast operation. Range between devices: 30m internal 50m external**. **Range is dependent on surroundings and obstacles, such as walls and building materials.

App commissioning includes, full control, dimming, scene setting and pre-set timer

General Information

Colour / Finish	White / Grey
-----------------	--------------

IP Rating	IP20
-----------	------

Class Protection	1
------------------	---

Internal / External	Internal
---------------------	----------

Surface / Recessed / Suspended	Recessed
--------------------------------	----------

Warranty (Years)	5
------------------	---

CE Mark	Yes
---------	-----

Length (mm)	195
-------------	-----

Width (mm)	60
------------	----

Depth (mm)	33
------------	----

Technical Information

Wattage	50W
---------	-----

Input	220V-240V
-------	-----------

Hertz	50/60Hz
-------	---------

Technical Data - ETIM 6 - Controller for luminaires (EC002924)

Suitable for outdoor use	No
--------------------------	----

Input voltage	220-240 V
---------------	-----------

Degree of protection (IP)	IP20
---------------------------	------

Protection class	I
------------------	---

Length	195 mm
--------	--------

Width	60 mm
-------	-------

Height	33 mm
--------	-------

Datasheet generated from <https://www.electrika.com> last updated Friday, June 7, 2019 12:33:27 PM

